PM™ Spacers

VITAL FOR CONSTRUCTION

BREEZE BLOCK


Collection - 2026





Decorate your home with

PM SPARES BREEZE BLOCKS



ABOUT US

Pavan Sales Corporation Came Into Existence In The Year 2017. The Firm Was Started As A Trading Company, But The Time Spend And We Realize To Start Our Own Production Of Concrete Spacers And We Started To Manufacturing All Type Of Concrete Spacers (Cover Blocks) With The Brand Name of PM SPACERS Today We Are Leading Manufacturing of Cover Blocks In Rajkot Region. We Are Manufacture As Well As Traders Of Other Building Materials Products As Per The Market Demands. We Believes In Quality Products, So It is Our Prime Moto **"To Enhance The Quality of Construction"**.

WHY PM SPACERS ?

- It Is Made From Silica Sand, 53 Grade Cement and Special Graded Concrete.
- High Strength With Accurate Size and Shape.
- Molded With G.I Wire So that It is Easy to Tie-up and Corrosion Free.
- Wide Range of Products For Beam, Column, Slab & Footing.
- More Than 30N/mm² Strength.
- Attractive LDPE Bag Packing.
- Fast And Hassle Free Delivery.

WHY CHOOSE US

10
PROFESSIONAL WORKER


1,432
COMPLETE PROJECT

478
HAPPY CUSTOMERS


BREEZE BLOCK DESIGNS



CROSSTINE BW




CROSSTINE



FLOWER BW




FLOWER



LILY BW



LILY



LOTUS BW




LOTUS




OPAL BW



OPAL



CURL BW




CURL



PETAL BW




PETAL




SIERRA BW




SIERRA




SPECTRA BW




SPECTRA



SPIDER BW



SPIDER



STELLA BW



STELLA



SWASTIK BW




SWASTIK




TOWN SQUARE BW




TOWN SQUARE



WING BW



WING




XYZ



XYZ



XYZ



XYZ



XYZ




XYZ




XYZ




XYZ



XYZ




XYZ




XYZ




XYZ



XYZ



XYZ



XYZ




XYZ



XYZ



XYZ



XYZ




XYZ



XYZ




XYZ



XYZ



XYZ



XYZ




XYZ



XYZ



XYZ




XYZ



XYZ

CROSSTINE BREEZE BLOCKS



COLOR

Size : 200 X 200 mm

Thickness : 60 mm

Weight : 2.3 kg

Packing : 4 Piece/Box

Weight/Box : 9.2 kg

Requirement per sq.ft = 2.25 Nos

Natural Sunlight | Natural Ventilation | Easy Installation | Law Maintenance | Paintable

FLOWER BREEZE BLOCKS



COLOR

Size : 200 X 200 mm

Thickness : 60 mm

Weight : 3.100 kg

Packing : 4 Piece/Box

Weight/Box : 12.5 kg

Requirement per sq.ft = 2.25 Nos

Natural Sunlight | Natural Ventilation | Easy Installation | Law Maintenance | Paintable

LILY BREEZE BLOCKS



COLOR

Size : 200 X 200 mm

Thickness : 60 mm

Weight : 3 kg


Packing : 4 Piece/Box

Weight/Box : 12.1 kg

Requirement per sq.ft = 2.25 Nos

Natural Sunlight | Natural Ventilation | Easy Installation | Law Maintenance | Paintable

LOTUS BREEZE BLOCKS



COLOR

Size : 200 X 200 mm

Thickness : 60 mm

Weight : 2.450 kg


Packing : 4 Piece Box

Weight/Box : 9.9 kg

Requirement per sq.ft = 2.25 Nos

Natural Sunlight | Natural Ventilation | Easy Installation | Law Maintenance | Paintable

OPAL BREEZE BLOCKS



COLOR

Size : 200 X 200 mm

Thickness : 60 mm

Weight : 2.620 kg


Packing : 4 Piece/Box

Weight/Box : 10.5 kg

Requirement per sq.ft = 2.25 Nos

Natural Sunlight | Natural Ventilation | Easy Installation | Law Maintenance | Paintable

CURL BREEZE BLOCKS



COLOR

Size : 200 X 200 mm

Thickness : 60 mm

Weight : 4.400 mm


Packing : 4 Piece/Box

Weight/Box : 17.7 mm

Requirement per sq.ft = 2.25 Nos

Natural Sunlight | Natural Ventilation | Easy Installation | Law Maintenance | Paintable

PETAL BREEZE BLOCKS



COLOR

Size : 200 X 200 mm

Thickness : 60 mm

Weight : 2.7 kg


Packing : 4 Piece/Box

Weight/Box : 11 kg

Requirement per sq.ft = 2.25 Nos

Natural Sunlight | Natural Ventilation | Easy Installation | Law Maintenance | Paintable

SIERRA BREEZE BLOCKS



COLOR

Size : 200 X 200 mm

Thickness : 60 mm

Weight : 3.850 kg


Packing : 4 Piece/Box

Weight/Box : 15.5 kg

Requirement per sq.ft = 2.25 Nos

Natural Sunlight | Natural Ventilation | Easy Installation | Law Maintenance | Paintable

SPECTRA BREEZE BLOCKS



COLOR

Size : 200 X 200 mm

Thickness : 60 mm

Weight : 4 kg


Packing : 4 Piece/Box

Weight/Box : 16.1 kg

Requirement per sq.ft = 2.25 Nos

Natural Sunlight | Natural Ventilation | Easy Installation | Law Maintenance | Paintable

SPIDER BREEZE BLOCKS



COLOR

Size : 200 X 200 mm

Thickness : 60 mm

Weight : 2.800 kg

Packing : 4 Piece Box

Weight/Box : 11.5 kg

Requirement per sq.ft = 2.25 Nos

Natural Sunlight | Natural Ventilation | Easy Installation | Law Maintenance | Paintable

STELLA BREEZE BLOCKS



COLOR

Size : 200 X 200 mm

Thickness : 60 mm

Weight : 3.140 kg


Packing : 4 Piece/Box

Weight/Box : 12.6 kg

Requirement per sq.ft = 2.25 Nos

Natural Sunlight | Natural Ventilation | Easy Installation | Law Maintenance | Paintable

SWASTIK BREEZE BLOCKS



COLOR

Size : 200 X 200 mm

Thickness : 60 mm

Weight : 2.8 kg


Packing : 4 Piece/Box

Weight/Box : 11.3 kg

Requirement per sq.ft = 2.25 Nos

Natural Sunlight | Natural Ventilation | Easy Installation | Law Maintenance | Paintable

TOWN SQUARE BREEZE BLOCKS



COLOR

Size : 200 X 200 mm

Thickness : 60 mm

Weight : 2.420 kg


Packing : 4 Piece Box

Weight/Box : 9.7 kg

Requirement per sq.ft = 2.25 Nos

Natural Sunlight | Natural Ventilation | Easy Installation | Law Maintenance | Paintable

WING BREEZE BLOCKS



COLOR

Size : 200 X 200 mm

Thickness : 60 mm

Weight : 2.4 kg


Packing : 4 Piece/Box

Weight/Box : 12.6 kg

Requirement per sq.ft = 2.25 Nos

Natural Sunlight | Natural Ventilation | Easy Installation | Law Maintenance | Paintable

XYZ BREEZE BLOCKS



COLOR

Size : 200 X 200 mm

Thickness : 60 mm

Weight : 2.8 kg

Packing : 4 Piece/Box

Weight/Box : 11.3 kg

Requirement per sq.ft = 2.25 Nos

Natural Sunlight | Natural Ventilation | Easy Installation | Law Maintenance | Paintable

XYZ BREEZE BLOCKS



COLOR

Size : 200 X 200 mm

Thickness : 60 mm

Weight : 2.420 kg


Packing : 4 Piece Box

Weight/Box : 9.7 kg

Requirement per sq.ft = 2.25 Nos

Natural Sunlight | Natural Ventilation | Easy Installation | Law Maintenance | Paintable

XYZ BREEZE BLOCKS



COLOR

Size : 200 X 200 mm

Thickness : 60 mm

Weight : 2.4 kg


Packing : 4 Piece/Box

Weight/Box : 12.6 kg

Requirement per sq.ft = 2.25 Nos

Natural Sunlight | Natural Ventilation | Easy Installation | Law Maintenance | Paintable

XYZ BREEZE BLOCKS



COLOR

Size : 200 X 200 mm

Thickness : 60 mm

Weight : 2.8 kg


Packing : 4 Piece/Box

Weight/Box : 11.3 kg

Requirement per sq.ft = 2.25 Nos

Natural Sunlight | Natural Ventilation | Easy Installation | Law Maintenance | Paintable

XYZ BREEZE BLOCKS



COLOR

Size : 200 X 200 mm

Thickness : 60 mm

Weight : 2.420 kg


Packing : 4 Piece Box

Weight/Box : 9.7 kg

Requirement per sq.ft = 2.25 Nos

Natural Sunlight | Natural Ventilation | Easy Installation | Law Maintenance | Paintable

XYZ BREEZE BLOCKS



COLOR

Size : 200 X 200 mm

Thickness : 60 mm

Weight : 2.4 kg


Packing : 4 Piece/Box

Weight/Box : 12.6 kg

Requirement per sq.ft = 2.25 Nos

Natural Sunlight | Natural Ventilation | Easy Installation | Law Maintenance | Paintable

XYZ BREEZE BLOCKS



COLOR

Size : 200 X 200 mm

Thickness : 60 mm

Weight : 2.8 kg

Packing : 4 Piece/Box

Weight/Box : 11.3 kg

Requirement per sq.ft = 2.25 Nos

Natural Sunlight | Natural Ventilation | Easy Installation | Law Maintenance | Paintable

XYZ BREEZE BLOCKS



COLOR

Size : 200 X 200 mm

Thickness : 60 mm

Weight : 2.420 kg


Packing : 4 Piece Box

Weight/Box : 9.7 kg

Requirement per sq.ft = 2.25 Nos

Natural Sunlight | Natural Ventilation | Easy Installation | Law Maintenance | Paintable

XYZ BREEZE BLOCKS



COLOR

Size : 200 X 200 mm

Thickness : 60 mm

Weight : 2.4 kg


Packing : 4 Piece/Box

Weight/Box : 12.6 kg

Requirement per sq.ft = 2.25 Nos

Natural Sunlight | Natural Ventilation | Easy Installation | Law Maintenance | Paintable

XYZ BREEZE BLOCKS



COLOR

Size : 200 X 200 mm

Thickness : 60 mm

Weight : 2.8 kg


Packing : 4 Piece/Box

Weight/Box : 11.3 kg

Requirement per sq.ft = 2.25 Nos

Natural Sunlight | Natural Ventilation | Easy Installation | Law Maintenance | Paintable

XYZ BREEZE BLOCKS



COLOR

Size : 200 X 200 mm

Thickness : 60 mm

Weight : 2.420 kg

Packing : 4 Piece Box

Weight/Box : 9.7 kg

Requirement per sq.ft = 2.25 Nos

Natural Sunlight | Natural Ventilation | Easy Installation | Law Maintenance | Paintable

XYZ BREEZE BLOCKS



COLOR

Size : 200 X 200 mm

Thickness : 60 mm

Weight : 2.4 kg


Packing : 4 Piece/Box

Weight/Box : 12.6 kg

Requirement per sq.ft = 2.25 Nos

Natural Sunlight | Natural Ventilation | Easy Installation | Law Maintenance | Paintable

XYZ BREEZE BLOCKS



COLOR

Size : 200 X 200 mm

Thickness : 60 mm

Weight : 2.8 kg

Packing : 4 Piece/Box

Weight/Box : 11.3 kg

Requirement per sq.ft = 2.25 Nos

Natural Sunlight | Natural Ventilation | Easy Installation | Law Maintenance | Paintable

XYZ BREEZE BLOCKS



COLOR

Size : 200 X 200 mm

Thickness : 60 mm

Weight : 2.420 kg

Packing : 4 Piece Box

Weight/Box : 9.7 kg

Requirement per sq.ft = 2.25 Nos

Natural Sunlight | Natural Ventilation | Easy Installation | Law Maintenance | Paintable

XYZ BREEZE BLOCKS



COLOR

Size : 200 X 200 mm

Thickness : 60 mm

Weight : 2.4 kg

Packing : 4 Piece/Box

Weight/Box : 12.6 kg

Requirement per sq.ft = 2.25 Nos

Natural Sunlight | Natural Ventilation | Easy Installation | Law Maintenance | Paintable

XYZ BREEZE BLOCKS



COLOR

Size : 200 X 200 mm

Thickness : 60 mm

Weight : 2.8 kg


Packing : 4 Piece/Box

Weight/Box : 11.3 kg

Requirement per sq.ft = 2.25 Nos

Natural Sunlight | Natural Ventilation | Easy Installation | Law Maintenance | Paintable

XYZ BREEZE BLOCKS



COLOR

Size : 200 X 200 mm

Thickness : 60 mm

Weight : 2.420 kg

Packing : 4 Piece Box

Weight/Box : 9.7 kg

Requirement per sq.ft = 2.25 Nos

Natural Sunlight | Natural Ventilation | Easy Installation | Law Maintenance | Paintable

XYZ BREEZE BLOCKS



COLOR

Size : 200 X 200 mm

Thickness : 60 mm


Weight : 2.4 kg

Packing : 4 Piece/Box

Weight/Box : 12.6 kg

Requirement per sq.ft = 2.25 Nos


Natural Sunlight | Natural Ventilation | Easy Installation | Law Maintenance | Paintable











Installation Method :

FIRST METHOD :

It is very simple it looks like constructing bricks using cement mortar or tile adhesives, You can stack one on another and make wall of jallis.

SECOND METHOD :

Actually an extension of first method if the span and the height is more you can have stiffeners in between the jallis its self weight but in order to compensate the lateral force somebody is pushing or leaning to the jallis. To have an extra mechanical support. You need have extra stiffeners between. Stiffeners can use between every three or four rows of jallis and it should be connected to both ends, either to the column or MS support you are having in the both ends ofthe frame.

THIRD METHOD :

You can make a grid of 200 mm x 200 mm and place jalli inside that.

Note: As property of stone there may be a size variation of + or-2 mm jalli to jalli.

Important note for Jallis :

As property of stone there may be a size variations of + or-2 mm jaali to jaali.


An important factor you have to consider while constructing jallis is make sure you clean after every few courcers of jallis because it will become very difficulty to clean it.

As per your design requirement you can have may be 3 or 4 mm grove in between even jallis or else you can have use the thinnest may be 1 mm tile adhesive between each jallis.

Finishing Jallis :

The jallis can also be painted in any colour of your choice and we recommend to have primer before you paint it for better Finishing. You have to manage this in the gap between the jallis in tile adhesives or cement.







TRANSFORM SPACES WITH

THE BREEZE BLOCKS


Experience
The Art of Open Design





BREEZE BLOCKS

Balancing **Privacy** with **Natural Light**



PM™ Spacers

VITAL FOR CONSTRUCTION

+91 89808 02099

info@pmspacers.com

B/h Shiv Enterprise, Lapasari Road,
Kothariya, Rajkot-360002